

# PRODUCT DATA SHEET

## Sika<sup>®</sup>-2

### WATERPROOFING ADMIXTURE FOR EXTRA-QUICK SETTING OF CEMENT

#### PRODUCT DESCRIPTION

Sika<sup>®</sup>-2 is an extra-quick-setting, liquid waterproofing admixture that causes almost immediate setting and very rapid hardening of Ordinary Portland Cement.

#### USES

Used to quickly seal cracks, fissures and holes in concrete, rock or masonry where there is water infiltration.

For example:

- Tunnels
- Subways
- Basements and cellars
- Pits
- Walls

#### CHARACTERISTICS / ADVANTAGES

- Does not require diluting
- Rapid setting
- Just mix with Ordinary Portland Cement
- Does not contain chlorides

#### PRODUCT INFORMATION

<b>Chemical Base</b>	Blend of inorganic chemicals
<b>Packaging</b>	5lt Jerry cans
<b>Appearance / Colour</b>	Red liquid
<b>Shelf Life</b>	12 months from date of production in original unopened undamaged container
<b>Storage Conditions</b>	Store in dry conditions between 5°C and 30°C and protected from frost
<b>Density</b>	~1.25 kg/litre
<b>pH-Value</b>	~12

#### SYSTEM INFORMATION

<b>System Structure</b>	Sika <sup>®</sup> -2 can be used as a system with surface rendering mortars. For more information contact your local Sika for support.
-------------------------	--

#### APPLICATION INFORMATION

<b>Consumption</b>	~0.7 litres per 1 kg of cement
<b>Substrate Temperature</b>	min. 5°C to max. 30°C

## APPLICATION INSTRUCTIONS

Use 1 part Sika®-2 to 2 parts of Ordinary Portland Cement by volume. Place Sika®-2 into a suitable clean mixing bowl and add the Ordinary Portland Cement. Stir quickly into a paste for a few seconds. Mold the paste with a gloved hand into a plug and place immediately into the crack, fissure or hole pressing firmly for ~15 seconds until the mix has hardened. It is recommended to only mix sufficient material that can be placed immediately.

### SUBSTRATE QUALITY / PRE-TREATMENT

The substrate shall be cleaned, free of contamination, loose particles and dust.

### CLEANING OF TOOLS

Rinse immediately with water. Hardened material may only be removed mechanically.

## LIMITATIONS

- Do not dilute.
- Very strong leaks may need controlling before the plug can be placed.
- Working and hardening times are affected by temperatures, source and age of the Ordinary Portland Cement. It is recommended to make an initial pre-trial.

## VALUE BASE

All technical data stated in this Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

## LOCAL RESTRICTIONS

Note that as a result of specific local regulations the declared data and recommended uses for this product may vary from country to country. Consult the local Product Data Sheet for the exact product data and uses.

## ECOLOGY, HEALTH AND SAFETY

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety-related data.

## LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

### EVERBUILD BUILDING PRODUCTS LTD

Site 41, Knowsthorpe Way  
Cross Green Industrial Estate  
Leeds, LS9 0SW  
Tel: 0113 240 3456  
Web: [www.everbuild.co.uk](http://www.everbuild.co.uk)  
Twitter: @everbuild

### SIKA LIMITED

Watchmead  
Welwyn Garden City  
Hertfordshire, AL7 1BQ  
Tel: 01707 394444  
Web: [www.sika.co.uk](http://www.sika.co.uk)  
Twitter: @SikaLimited

### SIKA IRELAND LIMITED

Ballymun Industrial Estate  
Ballymun  
Dublin 11, Ireland  
Tel: +353 1 862 0709  
Web: [www.sika.ie](http://www.sika.ie)  
Twitter: @SikaIreland